

MULTICELL

The Battery Specialists



Automotive

www.multicell.co.uk

AUTOMOTIVE BATTERIES



Multicell supplies automotive batteries from Banner, Exide, Varta and other quality brands.

Part Number	Length (mm)	Width (mm)	Height (mm)	Layout
002L	175	175	190	0
002R	175	175	190	1
004L	200	172	223	0
004R	200	172	223	1
005L	232	172	223	0
005R	232	172	223	1
009L	226	170	200	0
012	212	175	190	0
015	239	133	200	1
017	354	175	175	0
017R/018	354	175	175	1
019	354	175	190	0
027	242	175	190	0
037	239	133	200	0
038	239	133	200	1
048	220	135	225	0
049	220	135	225	1
053/044	238	129	227	0
054	187	127	227	0
054BH	187	127	227	0
055	187	127	227	1
057/043	238	129	227	1
063	207	175	175	0
065	242	175	175	0
067	278	175	175	0
068	261	175	220	0
069	261	175	220	1
072	261	175	220	1
072 T-LID	262	175	205	1
075	242	175	175	0
077	207	175	175	1
078	242	175	190	1
085	207	175	175	0
086	278	175	190	1
096	278	175	190	0
097	242	175	175	0
100	278	175	175	0
110	315	175	175	0
111	235	183	175	1
113	235	183	175	0
115	315	175	190	0
334/250	306	173	225	1
335/249	306	173	225	0
MX5	195	134	175	0
AM58	208	179	185	Front
AM75	230	180	185	Front
AM78	260	180	185	Front
RR/020	393	175	190	0



Standard automotive batteries carry a warranty of 2 - 3 years depending on the brand.



STOP/START BATTERIES



EFB range – Enhanced Flooded Battery (EFB) is intended for some vehicles with stop/start. It is a cheaper option than AGM so will not give as many starts. You cannot downgrade to EFB from AGM but you can upgrade to AGM from EFB.

Part Number	Length (mm)	Width (mm)	Height (mm)	Layout
005L	232	172	223	0
005R	232	172	223	1
019	354	175	190	0
027	242	175	190	0
053/044	238	129	227	0
068/030	261	175	220	0
069/031	261	175	220	1
096	278	175	190	0
100	278	175	175	0
110	315	175	175	0
115	315	175	190	0
335/249	306	173	225	0

EFB batteries carry a 3-year warranty.



AGM RANGE



Absorbed Glass Matt (AGM) is intended for vehicles with stop/start. This is a more expensive battery than EFB and will give more starts. You can upgrade to an AGM battery from EFB to give you a longer battery life.

Part Number	Length (mm)	Width (mm)	Height (mm)	Layout
012/079	207	175	190	0
019	354	175	190	0
027	242	175	190	0
053/044	238	129	227	0
054	187	127	227	0
055	187	127	227	1
057/043	238	129	227	1
096	278	175	190	0
110/115	315	175	190	0
R.R/020	393	175	190	0

AGM batteries carry a warranty of 3 - 5 years depending on the brand.




AUXILIARY BATTERIES



Auxiliary batteries are designed to run as a backup to the main starter battery on some vehicles. The same battery is also used in many other applications as the main/only battery.

Part Number	Length (mm)	Width (mm)	Height (mm)	Layout
AUX9	150	88	106	BOX1
AUX14	150	88	145	BOX1
EK091	150	88	106	BOX1
EK111	150	90	130	BOX1
EK131	150	90	145	BOX1
EK143	150	100	100	UP3
EK151	150	90	145	ROUND1
ETX14-BS	152	88	147	1
1.2-12	97	43	52	SPADE

Auxiliary batteries carry a 1-year warranty.



HARD RUBBER CLASSIC CAR BATTERIES



We supply 6V and 12V Hard Rubber Classic Car Batteries. The units we supply match the original manufacturer's specifications, giving the performance and look of the original units, with exposed link bars and screw cap cell access.

Please note, units are supplied to us dry and require filling in our warehouse before collection. Due to restrictions on battery acid distribution, we are no longer able to supply dry units with a separate acid pack.

6V Hard rubber batteries

Part Number	Voltage	Ah	Length (mm)	Width (mm)	Height (mm)
421	6	58	169	174	218
404	6	71	216	171	183
451	6	190	412	175	224
501	6	88	224	173	215
511	6	103	257	172	228
521	6	117	291	173	219
531	6	131	318	175	224
541	6	150	348	175	224

12V Hard rubber batteries


Part Number	Voltage	Ah	Length (mm)	Width (mm)	Height (mm)
182/15	12	65	332	133	203
183/15	12	65	332	133	207
241	12	73	307	170	222
242	12	73	307	170	222
279	12	73	490	108	222
279L	12	60	490	108	198
291/9	12	58	251	165	224

Hard Rubber batteries carry a 1-year warranty.


HARD RUBBER CLASSIC CAR BATTERIES



Battery Hold Down & Features




Battery Terminal Layout



Battery Terminal Type



Lid Type



Dimensions are subject to a 5mm +/- variation

CLASSIC CAR BATTERIES

We understand the importance of installing a reliable, authentic and cost-effective battery for your vintage project - our hard rubber battery range not only guarantees quality components and manufacturing, but the external design of the battery is suited to the classical look of your vehicle.

Our range of classic car batteries will fit various vintage and classic cars including MG, Jaguar, Austin, TVR and Lotus.

If you have a vintage project and require some battery advice, our sales team are happy to help. With over 30 year's experience, we're available to discuss your power requirements and help you find a solution.



HIGH PERFORMANCE BATTERIES



OPTIMA BATTERIES

These batteries can be used in a wide range of applications including but not limited to cars, Plant machinery, Agricultural equipment and leisure applications. They are shock/vibration resistant and are virtually spillproof.

Part Number	Description	UK Ref	Voltage	Ah	CCA (EN)	Length(mm)	Width(mm)	Height (mm)
BT DCM 4.2	Marine	8016-253	12	55	765	254	175	200
BT DCM 5.5	Marine	8052-188	12	75	975	325	165	238
BT SLIM 4.2	Marine	8006-252	12	50	815	254	175	200
RTC 4.2	Starter	8001-287	12	50	815	254	175	200
RTS 2.1	Starter	8010-355	6	50	815	254	83	203
RTS 3.7	Starter	8020-255	12	44	730	237	172	197
RTR 3.7	Starter	8035-255	12	44	730	237	172	197
RTS 4.2	Starter	8002-250	12	50	815	254	175	200
RTR 4.2	Starter	8003-251	12	50	815	254	175	200
RTU 3.7	Starter	8022-255	12	44	730	237	172	197
RTU 4.2	Starter	8004-250	12	50	815	254	175	200
YTS 4.2	Dual Purpose	8012-254	12	55	765	254	175	200
YTS 5.5	Dual Purpose	8051-187	12	75	975	325	165	238
YTS 2.7J	Dual Purpose	8070-176	12	41	510	237	129	227
YTR 2.7J	Dual Purpose	8072-176	12	41	510	237	129	227
YTS 2.7	Dual Purpose	8071-176	12	41	510	237	129	227
YTR 2.7	Dual Purpose	8073-176	12	41	510	237	129	227
YTU 4.2	Dual Purpose	8014-254	12	55	765	254	175	200
YTR 3.7	Dual Purpose	8040-222	12	48	660	237	172	197
YTS 2.1	Dual Purpose	8018-256	6	55	690	254	90	203

Optima batteries carry a 1-year warranty.





HIGH PERFORMANCE BATTERIES

ODYSSEY BATTERIES

Odyssey batteries are used in a wide range of applications including but not limited to Sports cars, Motorbikes and Marine and Leisure applications. Offering big power in a small battery, they are very versatile giving up to 3 x the life of a conventional battery and tolerating extreme temperatures whilst providing great starting power.

Part Number	Voltage	Ah	CCA	Length (mm)	Width (mm)	Height (mm)
PC310	12	8	100	138	86	101
PC370	12	15	200	200	77	140
PC545	12	13	210	177	86	131
PC545MJ	12	13	210	170	86	131
PC535	12	14	230	170	99	157
PC680	12	16	250	181	76	167
PC680MJ	12	16	250	181	76	167
PC625	12	18	310	170	99	175
PC925	12	28	330	168	179	128
PC925MJT	12	28	330	168	179	128
PC950	12	34	400	250	97	156
PC1200T	12	42	680	200	169	172
PC1100	12	45	500	250	97	206
PC1200MJT	12	42	680	200	169	172
PC1230	12	55	920	240	177	201
PC1400	12	65	1040	240	173	220
PC1500DT	12	68	1120	275	171	198
PC1700T	12	68	1110	330	168	176
PC1700MJT	12	68	1110	330	168	176
PC1220	12	70	680	302	175	190
PC1750T	12	74	1180	300	182	188
PC1350	12	95	770	377	175	190
PC2150S	12	100	1470	330	172	239
PC2150MJS	12	100	1470	330	172	239
PC2250	12	126	1570	286	269	233
PC1800	12	214	1660	578	125	316

MJ = METAL JACKET, T = TAPER POST, S = STUD, DT = DUAL TERMINAL

Odyssey batteries carry a 1-year warranty.

ODYSSEY
BATTERY

INTELLIGENT CHARGERS



Multicell supply a variety of chargers in both a standard and premium range

Part Number	Connector	Length (mm)	Width (mm)	Height (mm)
12V 2.3A	Torberry	120	60	38
12V 4A	Torberry	120	60	38
12V 4A (Metal Case)	Torberry	160	73	50
12V 10A (Metal Case)	Crocodile Clip	165	105	55
12V30A (Metal Case)	Crocodile Clip	290	145	70
12V45A (Metal Case)	Front Plate Block	340	220	110
12V100A (Metal Case)	Front Plate Block	330	210	200
24V2A	XLR (Neutrik)	120	60	38
24V4A (Metal Case)	XLR (Neutrik)	155	70	48
24V 5A	XLR (Neutrik)	150	70	42
24V7A (Metal Case)	XLR (Neutrik)	165	100	54
24V10A	Crocodile Clip	220	115	60
24V17A (Metal Case)	Front Plate Block	290	145	70
24V23A	Front Plate Block	340	220	110
24V50A (Metal Case)	Front Plate Block	330	210	200



CONSUMER CHARGERS

For charging a variety of small rechargeable batteries.

GP Ni-Mh

Fuji 12/240V Charger & 4 x 2300mah AA

Fuji AA & AAA charger



CAR/ MOTORCYCLE BATTERY CHARGERS

For all standard flooded batteries.

Ring 12V 4A

Ring 12V 8A

Ring 12V 12A

Ring 6V/ 12V 12A

BATTERY TESTER

For voltage testing all batteries.

Multimeter

JUMP PACK BATTERY



This battery is commonly used in Jump packs allowing the battery to be upgraded in your existing Jump pack to get a longer life from the unit. We can fit these as part of our refurb service. Other sized batteries available for different jump packs.

Brand	Part Number	Voltage	Ah	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
PBQ	22-12HR	12	22	181	77	167	6.40

Jump pack batteries carry a 1-year warranty.

KEY FOB AND STANDARD BATTERIES

LITHIUM BATTERIES

Coin cell batteries can be used in many applications including key fobs.

Coin Cells
CR1025
CR1220
CR1616
CR1620
CR1632
CR2012
CR2016
CR2025
CR2032
CR2430
CR2450

ALKALINE BATTERIES

A full range of alkaline from leading brands.

Part Number
LR1
LR03/AAA
LR6/AA
LR14/C
LR20/D
LR41
LR44
4LR44/476A
PP3
AAAA
11A
23A
27A

Multicell can supply numerous accessories but if there is anything not listed, please enquire as we may still be able to help.

JUMP LEADS

Multicell make jump leads in the following lengths using high quality 40mm cable and heavy-duty Croc Clips.

2 Meter

3 Meter

4 Meter

5 Meter

6 Meter

7 Meter



Universal Battery Clamp	40mm, 60mm, 70mm
Cargo Adapter	Positive and negative
Ring Terminal	35 x 6.8 or 10mm
Ring Terminal	50 x 6.8 or 10mm
Ring Terminal	70 x 8.10mm
Ring Terminal	95 x 10mm
Ford Adapters	
Terminal Sleeve – Japanese	
Anderson Connector	50A
Anderson Connector	120A
Anderson Connector	175A
Anderson Connector	320A
Isolator Switch	Key
Isolator Switch	Standard
Battery Leads	40mm x 200mm
Battery Leads	40mm x 500mm
Battery Leads	40mm x 1000mm
Quick Release Clamp	
Battery Box	85ah
Battery Box	110ah
Croc Clips – small	
Croc Clips – medium	50a
Croc Clips – large – red	180a
Croc Clips – large – black	180a
Croc Clips – large – red	310a
Croc Clips – large – black	310a
Kemo Low Voltage Cut Off Switch	

COMMITMENT TO QUALITY



While our family business has grown tremendously since 1989, one aspect remains unchanged in the company – Our professional and personal approach to serving our customers. When you work with us, you're not dealing with a cold corporate unit. You are working with a team of battery specialists who attend to your individual needs.

Multicell achieved ISO9001 in 19999 and has remained certified with BSI ever since, ensuring our high levels of service are consistently maintained.

NEED A TRADE ACCOUNT?

It's easy to open a trade account. Please call us, email us, or scan the QR Code to complete the application form. Your account can be opened and ready for use within minutes.

Telephone: 01455 283 443

Email: help@multicell.co.uk

Website: <https://www.multicell.co.uk/trade-enquiries>

Application form:



OUR BATTERY SPECIALISTS ARE HERE TO SUPPORT.

CONTACT US

 01455 283 443

 help@multicell.co.uk

 www.multicell.co.uk

 Multicell International Ltd
Box Road
Broughton Astley, Leicester
LE9 6TJ