

MULTICELL

The Battery Specialists



Commercial

www.multicell.co.uk

COMMERCIAL BATTERIES




Part Number	Length (mm)	Width (mm)	Height (mm)	Layout
019	354	175	190	0
622	514	218	208	3
622UR	514	218	208	3
623	513	223	223	4
624	518	178	242	4
625	518	278	242	3
625UR	518	278	242	3
627	513	189	223	3
627UR	513	189	223	3
628*	513	223	223	3
629	513	223	223	3
629UR	513	223	223	3
629BHD	513	223	223	3
630	513	175	223	3
630UR	513	189	223	3
633	360	253	240	6
638	508	175	205	0
640	330	172	238	2
641 (TP)	345	172	238	2
643	345	172	238	0
644	345	172	238	1
647/655	345	172	290	0
647/655UR	345	172	290	0
648/656	345	172	290	1
648/656UR	345	172	290	1
663	345	172	238	0
663BHD	345	172	238	0
664	345	172	238	1
6TN	286	269	230	7
600035	413	175	220	1
600047	413	175	220	0

Standard commercial batteries carry a warranty of 2-3 years depending on the brand.

(TP) THREADED POST

* HANDLE LOWER DOWN ON CASE



STOP/START BATTERIES



EFB RANGE



Enhanced Flooded Battery (EFB) is intended for some vehicles with stop/start. It is a cheaper option than AGM so will not give as many starts. You cannot downgrade to EFB from AGM but you can upgrade to AGM from EFB.

Part Number	Length (mm)	Width (mm)	Height (mm)	Layout
627	513	189	223	3
629	513	223	223	3
625	518	278	242	3



AGM RANGE



Absorbed Glass Matt (AGM) is intended for vehicles with stop/start. This is a more expensive battery than EFB and will give more starts. You can upgrade to an AGM battery from EFB to give you a longer battery life.

Part Number	Length (mm)	Width (mm)	Height (mm)	Layout
019	354	175	190	0
625	518	278	242	3
627	513	189	223	3
629	513	223	223	3



HIGH PERFORMANCE BATTERIES



OPTIMA BATTERIES

These batteries can be used in a wide range of applications including but not limited to cars, Plant machinery, Agricultural equipment and leisure applications. They are shock/vibration resistant and are virtually spillproof.

Part Number	Description	UK Ref	Voltage	Ah	CCA (EN)	Length(mm)	Width(mm)	Height (mm)
BT DCM 4.2	Marine	8016-253	12	55	765	254	175	200
BT DCM 5.5	Marine	8052-188	12	75	975	325	165	238
BT SLIM 4.2	Marine	8006-252	12	50	815	254	175	200
RTC 4.2	Starter	8001-287	12	50	815	254	175	200
RTS 2.1	Starter	8010-355	6	50	815	254	83	203
RTS 3.7	Starter	8020-255	12	44	730	237	172	197
RTR 3.7	Starter	8035-255	12	44	730	237	172	197
RTS 4.2	Starter	8002-250	12	50	815	254	175	200
RTR 4.2	Starter	8003-251	12	50	815	254	175	200
RTU 3.7	Starter	8022-255	12	44	730	237	172	197
RTU 4.2	Starter	8004-250	12	50	815	254	175	200
YTS 4.2	Dual Purpose	8012-254	12	55	765	254	175	200
YTS 5.5	Dual Purpose	8051-187	12	75	975	325	165	238
YTS 2.7J	Dual Purpose	8070-176	12	41	510	237	129	227
YTR 2.7J	Dual Purpose	8072-176	12	41	510	237	129	227
YTS 2.7	Dual Purpose	8071-176	12	41	510	237	129	227
YTR 2.7	Dual Purpose	8073-176	12	41	510	237	129	227
YTU 4.2	Dual Purpose	8014-254	12	55	765	254	175	200
YTR 3.7	Dual Purpose	8040-222	12	48	660	237	172	197
YTS 2.1	Dual Purpose	8018-256	6	55	690	254	90	203

Optima batteries carry a 1-year warranty.





HIGH PERFORMANCE BATTERIES

ODYSSEY BATTERIES

Odyssey batteries are used in a wide range of applications including but not limited to Sports cars, Motorbikes and Marine and Leisure applications. Offering big power in a small battery, they are very versatile giving up to 3 x the life of a conventional battery and tolerating extreme temperatures whilst providing great starting power.

Part Number	Voltage	Ah	CCA	Length (mm)	Width (mm)	Height (mm)
PC310	12	8	100	138	86	101
PC370	12	15	200	200	77	140
PC545	12	13	210	177	86	131
PC545MJ	12	13	210	170	86	131
PC535	12	14	230	170	99	157
PC680	12	16	250	181	76	167
PC680MJ	12	16	250	181	76	167
PC625	12	18	310	170	99	175
PC925	12	28	330	168	179	128
PC925MJT	12	28	330	168	179	128
PC950	12	34	400	250	97	156
PC1200T	12	42	680	200	169	172
PC1100	12	45	500	250	97	206
PC1200MJT	12	42	680	200	169	172
PC1230	12	55	920	240	177	201
PC1400	12	65	1040	240	173	220
PC1500DT	12	68	1120	275	171	198
PC1700T	12	68	1110	330	168	176
PC1700MJT	12	68	1110	330	168	176
PC1220	12	70	680	302	175	190
PC1750T	12	74	1180	300	182	188
PC1350	12	95	770	377	175	190
PC2150S	12	100	1470	330	172	239
PC2150MJS	12	100	1470	330	172	239
PC2250	12	126	1570	286	269	233
PC1800	12	214	1660	578	125	316

MJ = METAL JACKET, T = TAPER POST, S = STUD, DT = DUAL TERMINAL

Odyssey batteries carry a 1-year warranty.

ODYSSEY
BATTERY

JUMP PACK BATTERY



This battery is commonly used in Jump packs allowing the battery to be upgraded in your existing Jump pack to get a longer life from the unit. We can fit these as part of our refurb service. Other sized batteries available for different jump packs.

Brand	Part Number	Voltage	Ah	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
PBQ	22-12HR	12	22	181	77	167	6.40

Jump pack batteries carry a 1-year warranty.

KEY FOB AND STANDARD BATTERIES

LITHIUM BATTERIES

Coin cell batteries can be used in many applications including key fobs.

Coin Cells
CR1025
CR1220
CR1616
CR1620
CR1632
CR2012
CR2016
CR2025
CR2032
CR2430
CR2450

ALKALINE BATTERIES

A full range of alkaline from leading brands.

Part Number
LR1
LR03/AAA
LR6/AA
LR14/C
LR20/D
LR41
LR44
4LR44/476A
PP3
AAAA
11A
23A
27A

INTELLIGENT CHARGERS

Multicell supply a variety of chargers in both a standard and premium range

Part Number	Connector	Length (mm)	Width (mm)	Height (mm)
12V 2.3A	Torberry	120	60	38
12V 4A	Torberry	120	60	38
12V 4A (Metal Case)	Torberry	160	73	50
12V 10A (Metal Case)	Crocodile Clip	165	105	55
12V30A (Metal Case)	Crocodile Clip	290	145	70
12V45A (Metal Case)	Front Plate Block	340	220	110
12V100A (Metal Case)	Front Plate Block	330	210	200
24V2A	XLR (Neutrik)	120	60	38
24V4A (Metal Case)	XLR (Neutrik)	155	70	48
24V 5A	XLR (Neutrik)	150	70	42
24V7A (Metal Case)	XLR (Neutrik)	165	100	54
24V10A	Crocodile Clip	220	115	60
24V17A (Metal Case)	Front Plate Block	290	145	70
24V23A	Front Plate Block	340	220	110
24V50A (Metal Case)	Front Plate Block	330	210	200

CONSUMER CHARGERS



For charging a variety of small rechargeable batteries.

GP Ni-Mh

Fuji 12/240V Charger & 4 x 2300mah AA

Fuji AA & AAA charger



BATTERY CHARGERS

For all standard flooded batteries.

Ring 12V 4A

Ring 12V 8A

Ring 12V 12A

Ring 6V/ 12V 12A

BATTERY TESTER

For voltage testing all batteries.

Multimeter



Multicell can supply numerous accessories but if there is anything not listed, please enquire as we may still be able to help.

JUMP LEADS

Multicell make jump leads in the following lengths using high quality 40mm cable and heavy-duty Croc Clips.

2 Meter

3 Meter

4 Meter

5 Meter

6 Meter

7 Meter



Universal Battery Clamp	40mm, 60mm, 70mm
Cargo Adapter	Positive and negative
Ring Terminal	35 x 6.8 or 10mm
Ring Terminal	50 x 6.8 or 10mm
Ring Terminal	70 x 8.10mm
Ring Terminal	95 x 10mm
Ford Adapters	
Terminal Sleeve – Japanese	
Anderson Connector	50A
Anderson Connector	120A
Anderson Connector	175A
Anderson Connector	320A
Isolator Switch	Key
Isolator Switch	Standard
Battery Leads	40mm x 200mm
Battery Leads	40mm x 500mm
Battery Leads	40mm x 1000mm
Quick Release Clamp	
Battery Box	85ah
Battery Box	110ah
Croc Clips – small	
Croc Clips – medium	50a
Croc Clips – large – red	180a
Croc Clips – large – black	180a
Croc Clips – large – red	310a
Croc Clips – large – black	310a
Kemo Low Voltage Cut Off Switch	

COMMITMENT TO QUALITY



While our family business has grown tremendously since 1989, one aspect remains unchanged in the company – Our professional and personal approach to serving our customers. When you work with us, you're not dealing with a cold corporate unit. You are working with a team of battery specialists who attend to your individual needs.

Multicell achieved ISO9001 in 19999 and has remained certified with BSI ever since, ensuring our high levels of service are consistently maintained.

NEED A TRADE ACCOUNT?

It's easy to open a trade account. Please call us, email us, or scan the QR Code to complete the application form. Your account can be opened and ready for use within minutes.

Telephone: 01455 283 443

Email: help@multicell.co.uk

Website: <https://www.multicell.co.uk/trade-enquiries>

Application form:



OUR BATTERY SPECIALISTS ARE HERE TO SUPPORT.

CONTACT US



01455 283 443



help@multicell.co.uk



www.multicell.co.uk



Multicell International Ltd
Box Road
Broughton Astley, Leicester
LE9 6TJ